Lowe's	It's Hard To	TRANE	Date / _	/_		}	IVAC Inst	tall	er Wo	ork	she	et	
Customer Name				5	Store #								
Street Address		[Dealership N	ame									
City					Dealership Phone #								
State Zip					DIr. Admin. Contact								
Phone #				[Detail PO #								
Preparation:	 	Professional Services:											
Remove old system and haul away Remove old system and leave on the job Level ground and install a new pad Use existing pad					Reconnect electrical to new unit Provide new electrical for new unit Reconnect existing gas service to the unit Install new gas service to the home								
Installation:	Duct Work:												
Install ne		Reconnect to existing ductwork											
Provide e		Install new transitions to the ductwork											
Leave the worksite free of debris and excess materials					Add new duct runs to existing duct system								
Remove		Completely change out duct system											
Thermostat: Refrigerant Lines:													
							refrigerant line	sets					
Install New						Use existing refrigerant line sets Install new refrigerant line sets							
Venting: Notes:													
Reconnect flue to the existing venting													
		e existing ve	inting									—	
Install ne	w venting												
SYSTEM DESIGN													
							oolingLood						
					Manual J Cooling Load ge Heat Pump Package Dual Fuel Other					r			
Option 1 Retail Amount				Gas Package Heat Pur					Retail A	mou		1	
								511 5 1		nou	III		
\$			\$		_		\$					_	
Ameristar			Trane XR	XL			Trane XR		XL		XV		
		17 18 20			15 16 17 1		Series	13				18 20	
		3.5 4.0 5.0			2.5 3.0 3.5 4	.0 5.0			2.0 2.5	3.0	3.5 4	.0 5.0	
Furnace/AH	M/N		Furnace/AH	M/N	-		Furnace/AH		/N				
T'Stat	STD	DLX	T'Stat	STD	Program			-	STD	Pro		mable	
Humidifier YES		NO	Humidifier	YES	NO		Humidifier		YES		NO		
Clean Effects	YES	NO	Clean Effects	YES	NO		Clean Effects		YES		NO		
Blower static meets install guidelines	YES	guidelines		YES	NO		guidelines		YES		NO		
Rebate Amount \$							Rebate Amount \$						
Lowe's PSE Signature:							Upload To Project Manager		Was PSE on the call?				
Trane RSP Signature:									Yes		Ν	ю	